





**SVV 063 PA, HV gate valve,
electro-pneumatic, with PI,
with PV, 230 V, 50 Hz**



SVV 063 PA, HV gate valve, electro-pneumatic, with PI, with PV, 230 V, 50 Hz

- High conductance due to free clearance
- With visual indication of open and closed positions
- Service life: up to 200000 operating cycles

Dimensions



Technical Data	SVV 063 PA, HV gate valve, electro-pneumatic, with PI, with PV, 230 V, 50 Hz
Seal: Housing	FKM
Seal: Valve seat	FKM
Feedthrough	Slideway
Opens against differential pressure of	30 hPa
Type	HV gate valve
Valve plate	Stainless steel
Position feedback: Load capacity at 250 V AC	2 A
Housing	Aluminum
Actuator	Electro-pneumatic
Position feedback: Load capacity at 50 V DC	1.2 A
Input voltage(s)	230 V AC, 50 Hz
Tightness	$1 \cdot 10^{-10}$ Pa m ³ /s $1.33 \cdot 10^{-8}$ Torr l/s $1 \cdot 10^{-8}$ mbar l/s
Bakeout temperature: actuator	50 °C 122 K -223.15 °F
Conductance value with molecular flow	550 l/s
Pressure max. (absolute)	1,600 hPa 1,200 Torr 1,600 mbar
Bakeout temperature: housing	120 °C 248 K -153.2 °F
Pressure min.	$1 \cdot 10^{-7}$ hPa $7.5 \cdot 10^{-8}$ Torr $1 \cdot 10^{-7}$ mbar
Differential pressure in closing direction	1,600 hPa 1,200 Torr 1,600 mbar
Differential pressure in opening direction	1,600 hPa 1,200 Torr 1,600 mbar
Weight	3 kg 6.61 lb
Compressed air volume	160 cm ³
Pressure max. (absolute)	1,600 hPa
Power consumption	24 V DC / 5.4 W
Connection flange	DN 63 ISO-F
Closing/opening time	1.5 s/1.5 s
Compressed air (overpressure)	4 000 – 7 000 hPa
Differential pressure in closing direction	1,600 hPa
Differential pressure in opening direction	1,600 hPa
Weight	3 kg

Order number	SVV 063 PA, HV gate valve, electro-pneumatic, with PI, with PV, 230 V, 50 Hz
SVV 063 PA, HV gate valve, electro-pneumatic, with PI, with PV, 230 V, 50 Hz	PF E18 501

Your Success. Our Passion.

We give our best for you every day –
worldwide!

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 7/6/2024

Follow Us On Social Media
#pfeiffervacuum



PFEIFFER  **VACUUM**

www.pfeiffer-vacuum.com